



| Description | Specifications |
|-------------------------|--|
| Image Sensor | High Quality Image Sensor |
| Resolution | 720 TVL |
| Min. Illumination | 0.1 lux @F1.2 |
| S/N Ratio | more than 52db |
| Electronic Shutter | 1/50(1/60)-1/100000s |
| Lens | 3.6mm |
| Gamma Correction | 0.45 |
| White Balance (AWB) | Auto |
| Gain Control (AGC) | Auto |
| Back Light Compensation | Auto |
| IR | IR Range of 20M with 24pcsφ5mm IR LEDs |
| Sync | Internal |
| Power Supply | DC12V (+/-10%) |
| Power Consumption | 0.4W (2.5W after IR LED Powered on) |
| IP Rating | IP65 |
| Dimensions | 185x68.5x77.3mm |
| Weight | 0.28KG |
| Operating Temperature | -20~50 °C |
| Certifications | CE, FCC, RoHs |

HIGH RESOLUTION IR BULLET CAMERA

- High Quality Image Sensor
- 720 TVL High Resolution Camera
- 0.1 lux @ F1.2
- 3.6 mm Fixed Lens
- IR Range of 20M with 24pcsφ5mm IR LEDs
- AGC, AWB and BLC
- CE, FCC and RoHS Certified